



HYDRAULIC ROCK BREAKER

SC50



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 7 TO
14 TONS CARRIERS

LIGHTER, LEANER, MORE POWERFUL

TIE RODS FREE BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	366	807
+ MOUNTED TOOL	410	904
+ MOUNTED ADAPTER PLATE (MAX)	545	1,202

DIMENSIONS (MM/IN)

A	1,870	73.6
B	1,790	70.4
C	1,130	40.48
D	425	16.7
E	270	10.6
F	310	12.2
G	40	1.57


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	7-14
OIL FLOW (MIN-MAX, L/MIN / GPM)	75 - 125 20 - 33
MAXIMUM OPERATING PRESSURE (BAR/PSI)	130 1,885
MAXIMUM BACK PRESSURE (BAR/PSI)	20 290
INPUT POWER (KW)	27.1
STRIKING FREQUENCY (BPM)	600 - 1,137
NOISE LEVEL /10M (DBA)	93
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT	86767787
PRESSURIZATION KIT	86654696
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

HAND PUMP GREASE CARTRIDGES (X48)	86799152
GREASE CARTRIDGES (X20)	86784758

MAINTENANCE KITS

PART NUMBER

BASIC	86655388
INTERMEDIATE	101187366
ADVANCED	101187367
DEDICATED ACCU. SCREWS KIT	101187368

TOOLS

			
DIAMETER (MM/IN)	94 / 3.7	94 / 3.7	94 / 3.7
LENGTH (MM/IN)	850 / 33.4	850 / 33.4	850 / 33.4
WEIGHT (KG/LB)	41.2 / 91	42 / 93	44 / 97
PART NUMBER	86565652	86565645	86655081



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

501NG



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 9 TO 16
TONS CARRIERS

LIGHTER, LEANER, MORE POWERFUL

TIE RODS FREE BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	601	1,325
+ MOUNTED TOOL	666	1,468
+ MOUNTED ADAPTER PLATE (MAX)	859	1,894

DIMENSIONS (MM/IN)

A	1,241	48.85
B	567	22.32
C	280	11.02
D	430	16.92
E	51	2
F	8	0.31


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	9 - 16
OIL FLOW (MIN-MAX, L/MIN / GPM)	80 - 140 21.1 - 37
MAXIMUM OPERATING PRESSURE (BAR/PSI)	140 2,032
MAXIMUM BACK PRESSURE (BAR/PSI)	15 218
INPUT POWER (KW)	32.6
STRIKING FREQUENCY (BPM)	420 - 870
NOISE LEVEL /10M (DBA)	96
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT	86768124
PRESSURIZATION KIT	86777695
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

HAND PUMP GREASE CARTRIDGES (X48)	86799152
GREASE CARTRIDGES (X20)	86784758

MAINTENANCE KITS

PART NUMBER

BASIC	101187369
INTERMEDIATE	101187370
ADVANCED	101187371
DEDICATED ACCU. SCREWS KIT	101187372

TOOLS

				
DIAMETER (MM/IN)	106 / 4.17	106 / 4.17	106 / 4.17	106 / 4.17
LENGTH (MM/IN)	1,005 / 39.56	1,005 / 39.56	1,005 / 39.56	1,005 / 39.56
WEIGHT (KG/LB)	61 / 134	62 / 137	65 / 143	62 / 137
PART NUMBER	86722451	86722154	86722444	86622469



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER
M900



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 15 TO
25 TONS CARRIERS

PROVEN RELIABILITY

USER FRIENDLY

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	855	1,885
+ MOUNTED TOOL	956.8	2,109
+ MOUNTED ADAPTER PLATE (MAX)	1,233	2,718

DIMENSIONS (MM/IN)

A	1,645	64.76
B	475	18.7
C	461.5	18.17
D	284	11.18
E	52	2.05


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	15 - 25
OIL FLOW (MIN-MAX, L/MIN / GPM)	100 - 150 26.42 - 39.63
MAXIMUM OPERATING PRESSURE (BAR/PSI)	125 1,814
MAXIMUM BACK PRESSURE (BAR/PSI)	10 145
INPUT POWER (KW)	39.6
STRIKING FREQUENCY (BPM)	400 - 800
NOISE LEVEL /10M (DBA)	95
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT LEFT HP (CARTRIDGES)	86767720
AUTOMATIC LUBRICATION KIT RIGHT HP (CARTRIDGES)	86779014
CARRIER MOUNTED AUTOMATIC LUBRICATION KIT	86417243
PRESSURIZATION KIT	86411154
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X48, HAND PUMP)	86799152
GREASE CARTRIDGES (X20, AUTOMATIC LUBRICATION)	86784758
ABL2 GREASE BUCKET (24 KG)	86772969
ABLF GREASE BUCKET (24 KG)	86772977

MAINTENANCE KITS

PART NUMBER

BASIC	101187373
INTERMEDIATE	101187384
ADVANCED	101187385
DEDICATED TIE RODS KIT	101187386

TOOLS

					
DIAMETER (MM/IN)	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7
LENGTH (MM/IN)	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4
WEIGHT (KG/LB)	74 / 163	101.8 / 224	75.4 / 166	100.8 / 222	80.6 / 177.6
PART NUMBER	86730579	86421948	86730561	86643681	86797651



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

M900MS



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 15 TO
25 TONS CARRIERS

PROVEN RELIABILITY

USER FRIENDLY

EXTRA SOUNDPROOFING

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	950	2,094
+ MOUNTED TOOL	1,051.8	2,318
+ MOUNTED ADAPTER PLATE (MAX)	1,328	2,928

DIMENSIONS (MM/IN)

A	1,686	66.37
B	434	17.09
C	461.5	18.17
D	289	11.38
E	52	2.05


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	15 - 25
OIL FLOW (MIN-MAX, L/MIN / GPM)	100 - 150 26.42 - 39.63
MAXIMUM OPERATING PRESSURE (BAR/PSI)	125 1,814
MAXIMUM BACK PRESSURE (BAR/PSI)	10 145
INPUT POWER (KW)	39.6
STRIKING FREQUENCY (BPM)	400 - 800
NOISE LEVEL /10M (DBA)	95
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT LEFT HP (CARTRIDGES)	86767720
AUTOMATIC LUBRICATION KIT RIGHT HP (CARTRIDGES)	86779014
CARRIER MOUNTED AUTOMATIC LUBRICATION KIT	86417243
PRESSURIZATION KIT	86411154
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X48, HAND PUMP)	86799152
GREASE CARTRIDGES (X20, AUTOMATIC LUBRICATION)	86784758
ABL2 GREASE BUCKET (24 KG)	86772969
ABL1 GREASE BUCKET (24 KG)	86772977

MAINTENANCE KITS

PART NUMBER

BASIC	101187373
INTERMEDIATE	101187384
ADVANCED	101187385
DEDICATED TIE RODS KIT	101187386

TOOLS

					
DIAMETER (MM/IN)	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7
LENGTH (MM/IN)	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4
WEIGHT (KG/LB)	74 / 163	101.8 / 224	75.4 / 166	100.8 / 222	80.6 / 177.6
PART NUMBER	86730579	86421948	86730561	86643681	86797651



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

