



HYDRAULIC ROCK BREAKER

V32



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 18 TO
30 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.



CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	1,217	2,683
+ MOUNTED TOOL	1,361.8	2,936
+ MOUNTED ADAPTER PLATE (MAX)	1,703	3,754

DIMENSIONS (MM/IN)

A	1,747	68.8
B	530	20.9
C	638	25.1
D	720	28.3
E	332	13
F	427	16.8
G	60	2.3


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	18 - 30
OIL FLOW (MIN-MAX, L/MIN / GPM)	120 - 170 31.7 - 45
OPERATING PRESSURE (BAR/PSI)	135 1,959
BACK PRESSURE (BAR/PSI)	12 174
INPUT POWER (KW)	38.3
STRIKING FREQUENCY (BPM)	285 - 1,050
NOISE LEVEL /10M (DBA)	94
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
DUST SUPPRESSION KIT	10119868
ANTISEISMIC	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER


GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101187726
INTERMEDIATE	101187727
ADVANCED	101187728
DEDICATED TIE RODS KIT	101187729

TOOLS

						
DIAMETER (MM/IN)	122 / 4.8	122 / 4.8	122 / 4.8	122 / 4.8	122 / 4.8	122 / 4.8
LENGTH (MM/IN)	1100 / 43.3	1300 / 51.2	1100 / 43.3	1300 / 51.2	1100 / 43.3	1300 / 51.2
WEIGHT (KG/LB)	94 / 207	109 / 240	91.2 / 201	110 / 243	96 / 212	114.8 / 253
PART NUMBER	86420783	86449360	86420791	86382082	86421955	86811452



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

V47



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 27 TO
40 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.
- **TPS system:** improved tool lifespan



CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	2,080	4,586
+ MOUNTED TOOL	2,273	5,011
+ MOUNTED ADAPTER PLATE (MAX)	2,745	6,061

DIMENSIONS (MM/IN)

A	2,075	81.7
B	715	28.1
C	700	27.5
D	803	31.6
E	450	17.7
F	590	23.3
G	60	2.3

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	27 - 40
OIL FLOW (MIN-MAX, L/MIN / GPM)	180 - 265 47.6 - 70
OPERATING PRESSURE (BAR/PSI)	165 2,393
BACK PRESSURE (BAR/PSI)	12 174
INPUT POWER (KW)	72.9
STRIKING FREQUENCY (BPM)	345 - 1,160
NOISE LEVEL /10M (DBA)	96
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard


OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
TUNNELING KIT	upon request
DUST SUPPRESSION KIT	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

DIAMETER (MM/IN)	150 / 5.9	150 / 5.9	150 / 5.9	150 / 5.9	150 / 5.9
LENGTH (MM/IN)	1,350 / 53.14	1,500 / 59.05	1,350 / 53.14	1,500 / 59.05	1,350 / 53.14
WEIGHT (KG/LB)	170 / 375	191 / 421	172 / 379	193 / 425	180 / 387
PART NUMBER	86492246	86593522	86608130	86604931	86492253



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABL GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101189823
INTERMEDIATE	101189834
ADVANCED	101189835
DEDICATED TIE RODS KIT	101188049



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

V57



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 35 TO
60 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.
- **TPS system:** improved tool lifespan



CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	2,765	6,095.8
+ MOUNTED TOOL	3,079	6,788.1
+ MOUNTED ADAPTER PLATE (MAX)	3,593	7,921.2

DIMENSIONS (MM/IN)

A	2,277	89.6
B	932	36.7
C	500	19.7
D	640	25.2
E	69	2.7
F	3,209	126.3
G	720	28.3
H	880	34.7

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	35 - 60
OIL FLOW (MIN-MAX, L/MIN / GPM)	240 - 320 63.4 - 84.5
OPERATING PRESSURE (BAR/PSI)	165 2,393
BACK PRESSURE (BAR/PSI)	12 174
INPUT POWER (KW)	88
STRIKING FREQUENCY (BPM)	330 - 1,045
NOISE LEVEL /10M (DBA)	96
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard


OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
TUNNELING KIT	upon request
DUST SUPPRESSION KIT	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

DIAMETER (MM/IN)	170 / 6.69	170 / 6.69	170 / 6.69	170 / 6.69	170 / 6.69	170 / 6.69
LENGTH (MM/IN)	1,500 / 59.05	1,500 / 59.05	1,800 / 70.86	1,500 / 59.05	1,800 / 70.86	1,500 / 59.05
WEIGHT (KG/LB)	241 / 531	246 / 542	299 / 659	257 / 567	314 / 692	235 / 518
PART NUMBER	86624020	86612496	86640729	86624046	86669850	101029646



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABL1 GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101189841
INTERMEDIATE	101189842
ADVANCED	101189843
DEDICATED TIE RODS KIT	101188054



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

V67



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 45 TO
80 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.
- **TPS system:** improved tool lifespan



HYDRAULIC ROCK BREAKER

CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	4,532	9,991
+ MOUNTED TOOL	4,966	10,948
+ MOUNTED ADAPTER PLATE (MAX)	5,998	13,223

DIMENSIONS (MM/IN)

A	2,705	106
B	785	31
C	598	24
D	700	28
E	80	3
F	349	14
G	870	34
H	1,090	43

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	50 - 85
OIL FLOW (MIN-MAX, L/MIN / GPM)	380 - 420 100.4 - 111
OPERATING PRESSURE (BAR/PSI)	165 2,394
BACK PRESSURE (BAR/PSI)	8 116
INPUT POWER (KW)	115.5
STRIKING FREQUENCY (BPM)	380 - 950
NOISE LEVEL /10M (DBA)	100
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
HOSES KIT HP/BP	standard
BUCKET CYLINDER VALVE	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard


OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
DUST SUPPRESSION KIT	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

					
DIAMETER (MM/IN)	202 / 7.95	202 / 7.95	202 / 7.95	202 / 7.95	202 / 7.95
LENGTH (MM/IN)	1,800 / 70.86	1,800 / 70.86	1,800 / 70.86	1,800 / 70.86	1,800 / 70.86
WEIGHT (KG/LB)	410 / 904	404 / 891	417 / 919	410 / 904	434 / 957
PART NUMBER	86624061	86624087	86611845	86750403	86624079



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101188080
INTERMEDIATE	101188081
ADVANCED	101188082
DEDICATED TIE RODS KIT	101188079



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER
V6000



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 60 TO
95 TONS CARRIERS

AUTOMATIC ENERGY PER BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

DUAL LUBRICATION SYSTEM

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.



HYDRAULIC ROCK BREAKER

CUTTING-EDGE TECHNOLOGY
RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	5,208	11,482
+ MOUNTED TOOL	5,771.4	12,742
+ MOUNTED ADAPTER PLATE (MAX)	6,803	14,998

DIMENSIONS (MM/IN)

A	3,043	119.8
B	700	27.5
C	710	28
D	620	24.5
E	125	4.9

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	60 - 95
OIL FLOW (MIN-MAX, L/MIN / GPM)	400 - 500 106 - 132
OPERATING PRESSURE (BAR/PSI)	180 2,610
BACK PRESSURE (BAR/PSI)	15 217
INPUT POWER (KW)	150
STRIKING FREQUENCY (BPM)	290 - 550
NOISE LEVEL /10M (DBA)	95
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
BUCKET CYLINDER VALVE	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

BASIC	101187653
INTERMEDIATE	101187664
ADVANCED	101187665
DEDICATED TIE RODS KIT	101187666

TOOLS

DIAMETER (MM/IN)	214 / 8.43	214 / 8.43	214 / 8.43	214 / 8.43	214 / 8.43	214 / 8.43	214 / 8.43	214 / 8.43
LENGTH (MM/IN)	1,845 / 72.63	2,025 / 79.70	1,845 / 72.63	1,845 / 72.63	2,025 / 79.70	2,025 / 79.70	1,845 / 72.63	2,025 / 79.70
WEIGHT (KG/LB)	482.5 / 1,063.7	533 / 1,175	463 / 1,022	483.3 / 1,066	534.3 / 1,178	535.3 / 1,180	512 / 1,129	563.4 / 1,242
PART NUMBER	86792520	86804804	86792553	86759842	86799855	86799863	86792538	86804176



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER
V7000



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 70 TO
120 TONS CARRIERS

AUTOMATIC ENERGY PER BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

DUAL LUBRICATION SYSTEM

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.



HYDRAULIC ROCK BREAKER

CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	5,859	12,917
+ MOUNTED TOOL	6,422.4	14,159
+ MOUNTED ADAPTER PLATE (MAX)	7,599	16,753

DIMENSIONS (MM/IN)

A	3,043	119.8
B	700	27.5
C	800	31.5
D	630	24.8
E	125	4.9


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	70 - 120
OIL FLOW (MIN-MAX, L/MIN / GPM)	400 - 550 106 - 146
OPERATING PRESSURE (BAR/PSI)	180 2,610
BACK PRESSURE (BAR/PSI)	15 217
INPUT POWER (KW)	165
STRIKING FREQUENCY (BPM)	290 - 590
NOISE LEVEL /10M (DBA)	95
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
BUCKET CYLINDER VALVE	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101187653
INTERMEDIATE	101187664
ADVANCED	101187665
DEDICATED TIE RODS KIT	101187666

TOOLS

DIAMETER (MM/IN)	214 / 8.43	214 / 8.43	214 / 8.43	214 / 8.43
LENGTH (MM/IN)	2,025 / 79.70	2,025 / 79.70	2,025 / 79.70	2,025 / 79.70
WEIGHT (KG/LB)	533 / 1,175	534.3 / 1,178	535.3 / 1,180	563.4 / 1,242
PART NUMBER	86804804	86799855	86799863	86804176



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

V1800



POWER AND
VERSATILITY
FOR ALL JOBSITES

DESIGNED FOR 20 TO
35 TONS CARRIERS

MAXIMUM IMPACT FORCE SINCE
THE VERY FIRST BLOW

A TOOL WHICH FITTED
FOR ANY SITUATION

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Automatic lubrication:** cartridge grease pump mounted on breaker, or tank mounted on excavator.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Dynamic energy adjustment:** two working positions automatically adjusted by the breaker.
- **Blank firing protection:** increased wear parts lifespan.



HYDRAULIC ROCK BREAKER

POWER AND VERSATILITY
FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	3,552	1,611
+ MOUNTED TOOL	3,885	1,762
+ MOUNTED ADAPTER PLATE (MAX)	4,716	2,139

DIMENSIONS (IN/MM)

A	76.2	1,938
B	24	620
C	21	530
D	16	408
E	3.54	90


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	20 - 35
OIL FLOW (MIN-MAX, GPM / L/MIN)	37 - 58.2 140 - 220
OPERATING PRESSURE (MAX, PSI/BAR)	2,393 165
BACK PRESSURE (MAX, PSI/BAR)	435 30
INPUT POWER (KW)	60.5
STRIKING FREQUENCY (MIN-MAX, BPM)	320 - 720
NOISE LEVEL /10M (DBA)	90
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
SOFTSTART	86778784
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



MAINTENANCE KITS

PART NUMBER

BASIC	101187472
INTERMEDIATE	101187473
ADVANCED	101187484
DEDICATED TIE RODS KIT	101187485

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137

TOOLS

DIAMETER (IN/MM)	5.5 / 140	5.5 / 140	5.5 / 140
LENGTH (IN/MM)	51 / 1,300	51 / 1,300	51 / 1,300
WEIGHT (LB/KG)	317 / 144	322 / 146	333 / 151
PART NUMBER	101255106	101255105	101255104



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

V2500



POWER AND
VERSATILITY
FOR ALL JOBSITES

DESIGNED FOR 27 TO
40 TONS CARRIERS

MAXIMUM IMPACT FORCE SINCE
THE VERY FIRST BLOW

A TOOL WHICH FITTED
FOR ANY SITUATION

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Automatic lubrication:** cartridge grease pump mounted on breaker, or tank mounted on excavator.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Dynamic energy adjustment:** two working positions automatically adjusted by the breaker.
- **Blank firing protection:** increased wear parts lifespan.



HYDRAULIC ROCK BREAKER

POWER AND VERSATILITY
FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	4,817	2,185
+ MOUNTED TOOL	5,269	2,390
+ MOUNTED ADAPTER PLATE (MAX)	6,318	2,866

DIMENSIONS (IN/MM)

A	2,124	2,124
B	585	585
C	575	575
D	463	463
E	100	100


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	27 - 40
OIL FLOW (MIN-MAX, GPM / L/MIN)	46.3 - 66.1 185 - 250
OPERATING PRESSURE (MAX, PSI/BAR)	2,248 155
BACK PRESSURE (MAX, PSI/BAR)	363 25
INPUT POWER (KW)	64.6
STRIKING FREQUENCY (MIN-MAX, BPM)	320 - 560
NOISE LEVEL /10M (DBA)	92
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
SOFTSTART	86778792
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



MAINTENANCE KITS

PART NUMBER

BASIC	101187545
INTERMEDIATE	101187546
ADVANCED	101187547
DEDICATED TIE RODS KIT	101187548

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137

TOOLS

DIAMETER (IN/MM)	6.29 / 160	6.29 / 160	6.29 / 160
LENGTH (IN/MM)	53 / 1,350	53 / 1,350	53 / 1,350
WEIGHT (LB/KG)	428 / 194	432 / 196	452 / 205
PART NUMBER	101255598	101182568	101255599



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

V3500



POWER AND
VERSATILITY
FOR ALL JOBSITES

35 60

MAXIMUM IMPACT FORCE SINCE
THE VERY FIRST BLOW

A TOOL WHICH FITTED
FOR ANY SITUATION

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Automatic lubrication:** cartridge grease pump mounted on breaker, or tank mounted on excavator.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Dynamic energy adjustment:** two working positions automatically adjusted by the breaker.
- **Blank firing protection:** increased wear parts lifespan.



HYDRAULIC ROCK BREAKER

POWER AND VERSATILITY
FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	6,735	3,055
+ MOUNTED TOOL	7,361	3,339
+ MOUNTED ADAPTER PLATE (MAX)	8,492	3,852

DIMENSIONS (IN/MM)

A	91.69	2,329
B	31.25	766
C	26	660
D	20.66	525
E	4.40	112
F	121.85	3,095
G	31.10	790
H	34.64	880


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	35 - 60
OIL FLOW (MIN-MAX, GPM / L/MIN)	66 - 85 250 - 320
OPERATING PRESSURE (MAX, PSI/BAR)	2,683 185
BACK PRESSURE (MAX, PSI/BAR)	217 15
INPUT POWER (KW)	98.6
STRIKING FREQUENCY (MIN-MAX, BPM)	350 - 700
NOISE LEVEL /10M (DBA)	96
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard

OPTIONS	PART NUMBER
PRESSURIZATION KIT	86372505
SOFTSTART	86778800
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

		30°	30° DEG	
DIAMETER (IN/MM)	6.88 / 175	6.88 / 175	6.88 / 175	6.88 / 175
LENGTH (IN/MM)	61.42 / 1,560	61.42 / 1,560	61.42 / 1,560	61.42 / 1,560
WEIGHT (LB/KG)	595 / 269	595 / 269	595 / 269	626 / 284
PART NUMBER	101255616	101255617	101226793	101255618



MAINTENANCE KITS

PART NUMBER

BASIC	101187549
INTERMEDIATE	101187550
ADVANCED	101187551
DEDICATED TIE RODS KIT	101187552

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

V4700



POWER AND
VERSATILITY
FOR ALL JOBSITES

DESIGNED FOR 45 TO
80 TONS CARRIERS

MAXIMUM IMPACT FORCE SINCE
THE VERY FIRST BLOW

A TOOL WHICH FITTED
FOR ANY SITUATION

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Automatic lubrication:** cartridge grease pump mounted on breaker, or tank mounted on excavator.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Dynamic energy adjustment:** two working positions automatically adjusted by the breaker.
- **Blank firing protection:** increased wear parts lifespan.
- **Cylinder sleeve:** reduced maintenance costs and increased piston guidance efficiency.
- **Reinforced housing:** HB400 bottom plates ensuring long lifespan even for the toughest working environments.



HYDRAULIC ROCK BREAKER

POWER AND VERSATILITY
FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	8,166	3,704
+ MOUNTED TOOL	8,950	4,059.6
+ MOUNTED ADAPTER PLATE (MAX)	11,010	4,994

DIMENSIONS (IN/MM)

A	99	2,514
B	33.2	843
C	21.7	550
D	27.6	700
E	4.8	122
F	132.2	3,357
G	32.2	817.4
H	39.8	1,010

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	45 - 80
OIL FLOW (MIN-MAX, GPM / L/MIN)	73.9 - 100.3 280 - 380
OPERATING PRESSURE (MAX, PSI/BAR)	2,683 185
BACK PRESSURE (MAX, PSI/BAR)	217.5 15
INPUT POWER (KW)	117.2
STRIKING FREQUENCY (MIN-MAX, BPM)	210 - 430
NOISE LEVEL /10M (DBA)	95
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard
OMNI-M MONITORING SYSTEM	standard


OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
SOFTSTART	86778818
	101134589
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

			 30°	 30° DEG	
DIAMETER (IN/MM)	7.48 / 190	7.48 / 190	7.48 / 190	7.48 / 190	7.48 / 190
LENGTH (IN/MM)	63.35 / 1,660	63.35 / 1,660	63.35 / 1,660	63.35 / 1,660	63.35 / 1,660
WEIGHT (LB/KG)	741 / 336	712 / 323	745 / 338	749 / 340	783 / 355
PART NUMBER	101255619	101255621	101255622	101226792	101255620



MAINTENANCE KITS

PART NUMBER

BASIC	101187646
INTERMEDIATE	101187647
ADVANCED	101187648
DEDICATED TIE RODS KIT	101187561

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

SD6



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 700 KG TO
1.2 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	55	120
+ MOUNTED TOOL	58.7	128
+ MOUNTED ADAPTER PLATE (MAX)	73	161

DIMENSIONS (MM/IN)

A	865	34
B	200	8
C	281	11
D	595	23
E	147	6
F	172	7
G	24	0.94

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	0.7 - 1.2
OIL FLOW (MIN-MAX, L/MIN / GPM)	12 - 23 3.2 - 6
OPERATING PRESSURE (MAX, BAR/PSI)	110 1,600
BACK PRESSURE (MAX, BAR/PSI)	20 290
INPUT POWER (KW)	4.2
STRIKING FREQUENCY (MIN-MAX, BPM)	725 - 1,460
NOISE LEVEL /10M (DBA)	87
SOUNDPROOFING	standard
HOSE PROTECTION	standard



CONSUMABLES

GREASE CARTRIDGES (X48)

PART NUMBER

86799152

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

LEVEL 1	86651056
LEVEL 2	101112768
LEVEL 3 (+2 WARRANTY YEARS*)	101112769

TOOLS

DIAMETER (MM/IN)	37 / 1.45	37 / 1.45
LENGTH (MM/IN)	438 / 17.2	438 / 17.2
WEIGHT (KG/LB)	3.7 / 8	3.37 / 7.42
PART NUMBER	86646106	86646114



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.
©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

*see warranty conditions





HYDRAULIC ROCK BREAKER

SD8



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 1 TO
1.7 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	71	156
+ MOUNTED TOOL	76.4	168
+ MOUNTED ADAPTER PLATE (MAX)	112	247

DIMENSIONS (MM/IN)

A	898	35
B	230	9
C	334	13
D	618	24
E	159	6.25
F	183	7.20
G	25	0.98

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	1 - 1.7
OIL FLOW (MIN-MAX, L/MIN / GPM)	15 - 30 4 - 8
OPERATING PRESSURE (MAX, BAR/PSI)	120 1,740
BACK PRESSURE (MAX, BAR/PSI)	35 507
INPUT POWER (KW)	6
STRIKING FREQUENCY (MIN-MAX, BPM)	800 - 1,600
NOISE LEVEL /10M (DBA)	90
SOUNDPROOFING	standard
HOSE PROTECTION	standard



CONSUMABLES

GREASE CARTRIDGES (X48)

PART NUMBER

86799152

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

LEVEL 1	86638947
LEVEL 2	101112771
LEVEL 3 (+2 WARRANTY YEARS*)	101112772

TOOLS

DIAMETER (MM/IN)	45 / 1.77	45 / 1.77	45 / 1.77
LENGTH (MM/IN)	455 / 17.9	455 / 17.9	455 / 17.9
WEIGHT (KG/LB)	5.1 / 11	5.2 / 11.46	5.4 / 12
PART NUMBER	86631918	86631900	86638566



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.
©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

*see warranty conditions





HYDRAULIC ROCK BREAKER

SD12



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 1.2 TO
2.2 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	91	201
+ MOUNTED TOOL	97	214
+ MOUNTED ADAPTER PLATE (MAX)	133	293

DIMENSIONS (MM/IN)

A	926	36
B	230	9
C	346	14
D	637	25
E	166	7
F	190	7.48
G	34	1.33

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	1.2 - 2.2
OIL FLOW (MIN-MAX, L/MIN / GPM)	17 - 35 4.5 - 9
OPERATING PRESSURE (MAX, BAR/PSI)	120 1,740
BACK PRESSURE (MAX, BAR/PSI)	32 465
INPUT POWER (KW)	7
STRIKING FREQUENCY (MIN-MAX, BPM)	825 - 1,700
NOISE LEVEL /10M (DBA)	89
SOUNDPROOFING	standard
HOSE PROTECTION	standard



CONSUMABLES

GREASE CARTRIDGES (X48)

PART NUMBER

86799152

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

LEVEL 1	86638954
LEVEL 2	101112774
LEVEL 3 (+2 WARRANTY YEARS*)	101112775

TOOLS

DIAMETER (MM/IN)	47 / 1.85	47 / 1.85
LENGTH (MM/IN)	475 / 18.7	475 / 18.7
WEIGHT (KG/LB)	5.8 / 12.7	6 / 13
PART NUMBER	86621216	86620739



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.
©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com



*see warranty conditions



HYDRAULIC ROCK BREAKER

SD16



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 1.5 TO
3.7 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	121	266
+ MOUNTED TOOL	131	288
+ MOUNTED ADAPTER PLATE (MAX)	194	428

DIMENSIONS (MM/IN)

A	1,036	41
B	280	11
C	427	17
D	701	28
E	186	7.32
F	205	8.07
G	34	1.33

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	1.5 - 3.7
OIL FLOW (MIN-MAX, L/MIN / GPM)	25 - 50 6.6 - 13
OPERATING PRESSURE (MAX, BAR/PSI)	120 1,740
BACK PRESSURE (MAX, BAR/PSI)	32 465
INPUT POWER (KW)	10
STRIKING FREQUENCY (MIN-MAX, BPM)	770 - 1,550
NOISE LEVEL /10M (DBA)	91
SOUNDPROOFING	standard
HOSE PROTECTION	standard



CONSUMABLES

GREASE CARTRIDGES (X48)

PART NUMBER

86799152

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

LEVEL 1	86638962
LEVEL 2	101112777
LEVEL 3 (+2 WARRANTY YEARS*)	101112779

TOOLS

DIAMETER (MM/IN)	55 / 2.16	55 / 2.16
LENGTH (MM/IN)	550 / 21.6	550 / 21.6
WEIGHT (KG/LB)	9.7 / 21	10 / 22
PART NUMBER	86625688	86625670



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.
©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

*see warranty conditions





HYDRAULIC ROCK BREAKER

SD22



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 2.5 TO
5.3 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	184	405
+ MOUNTED TOOL	200	440
+ MOUNTED ADAPTER PLATE (MAX)	286	631

DIMENSIONS (MM/IN)

A	1,182	47
B	320	13
C	466	18.3
D	812	31.9
E	214	8.42
F	240	9.44
G	45	1.77

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	2.5 - 5.3
OIL FLOW (MIN-MAX, L/MIN / GPM)	30 - 65 7.9 - 17
OPERATING PRESSURE (MAX, BAR/PSI)	120 1,740
BACK PRESSURE (MAX, BAR/PSI)	30 435
INPUT POWER (KW)	13
STRIKING FREQUENCY (MIN-MAX, BPM)	600 - 1,360
NOISE LEVEL /10M (DBA)	89
SOUNDPROOFING	standard
HOSE PROTECTION	standard



CONSUMABLES

GREASE CARTRIDGES (X48)

PART NUMBER

86799152

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

LEVEL 1	101112784
LEVEL 2	101112785
LEVEL 3 (+2 WARRANTY YEARS*)	101112786

TOOLS

DIAMETER (MM/IN)	65 / 2.55	65 / 2.55
LENGTH (MM/IN)	618 / 24	618 / 24
WEIGHT (KG/LB)	14.8 / 33	15.2 / 34
PART NUMBER	86636370	86636362



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.
©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com



*see warranty conditions



HYDRAULIC ROCK BREAKER

SD28



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 3 TO
7.5 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	204	451
+ MOUNTED TOOL	231.1	511
+ MOUNTED ADAPTER PLATE (MAX)	318	701

DIMENSIONS (MM/IN)

A	1,221	48
B	320	13
C	472	19
D	863	33.9
E	223	8.77
F	250	9.84
G	46	1.81

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	3 - 7.5
OIL FLOW (MIN-MAX, L/MIN / GPM)	40 - 75 10.5 - 20
OPERATING PRESSURE (MAX, BAR/PSI)	120 1,740
BACK PRESSURE (MAX, BAR/PSI)	30 435
INPUT POWER (KW)	13
STRIKING FREQUENCY (MIN-MAX, BPM)	630 - 1,420
NOISE LEVEL /10M (DBA)	94
SOUNDPROOFING	standard
HOSE PROTECTION	standard



CONSUMABLES

GREASE CARTRIDGES (X48)

PART NUMBER

86799152

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

LEVEL 1	101112788
LEVEL 2	101112789
LEVEL 3 (+2 WARRANTY YEARS*)	101112790

TOOLS

DIAMETER (MM/IN)	72 / 2.8	72 / 2.8
LENGTH (MM/IN)	662 / 26	662 / 26
WEIGHT (KG/LB)	19.4 / 43	27.1 / 60
PART NUMBER	86636396	86636388



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.
©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

*see warranty conditions





HYDRAULIC ROCK BREAKER

SD36



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 4 TO
10 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)


BREAKER	279	616
+ MOUNTED TOOL	304	671
+ MOUNTED ADAPTER PLATE (MAX)	396	873

DIMENSIONS (MM/IN)

A	1,374	54
B	432	17
C	535	21
D	978	39
E	240	9.44
F	270	11
G	47.5	1.87

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	4 - 10
OIL FLOW (MIN-MAX, L/MIN / GPM)	55 - 100 14.5 - 26.5
OPERATING PRESSURE (MAX, BAR/PSI)	125 1,815
BACK PRESSURE (MAX, BAR/PSI)	20 290
INPUT POWER (KW)	20.8
STRIKING FREQUENCY (MIN-MAX, BPM)	700 - 1,540
NOISE LEVEL /10M (DBA)	93
SOUNDPROOFING	standard
HOSE PROTECTION	standard



CONSUMABLES

GREASE CARTRIDGES (X48)

PART NUMBER

86799152

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

MAINTENANCE KITS

PART NUMBER

LEVEL 1	86639960
LEVEL 2	101112794
LEVEL 3 (+2 WARRANTY YEARS*)	101112795

TOOLS

DIAMETER (MM/IN)	76 / 2.99	76 / 2.99	76 / 2.99
LENGTH (MM/IN)	709 / 27.9	709 / 27.9	709 / 27.9
WEIGHT (KG/LB)	23 / 51	24 / 53	25 / 55
PART NUMBER	86639226	86639218	86641438



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.

©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

*see warranty conditions





HYDRAULIC ROCK BREAKER

SD42



NEW KEY ASSET
FOR ALL JOBSITES

DESIGNED FOR 5 TO
12 TONNES CARRIERS

POWERFUL,
SAFE AND COMPACT

LANDSCAPING, DEMOLITION,
TRENCHING, CIVIL ENGINEERING,
INSIDE AND OUTSIDE:
VERSATILE AND EFFICIENT

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Tie rod free:** less weight and cost, more power and reliability.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Improved soundproofing :** lower noise levels for urban jobsites.
- **Easy handling:** two lifting points to handle the breaker with perfect balance and safety, also acting as hoses protection.
- **Tool changing:** new user friendly, simple, safe and reliable system, with one single retainer.



NEW KEY ASSET FOR ALL JOBSITES

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	331	730
+ MOUNTED TOOL	364.7	804
+ MOUNTED ADAPTER PLATE (MAX)	456	1,005

DIMENSIONS (MM/IN)

A	1,494	59
B	442	17
C	556	22
D	1,059	42
E	270	11
F	295	12
G	48	2


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	5 - 12
OIL FLOW (MIN-MAX, L/MIN / GPM)	70 - 120 18.5 - 32
OPERATING PRESSURE (MAX, BAR/PSI)	125 1,815
BACK PRESSURE (MAX, BAR/PSI)	20 290
INPUT POWER (KW)	25
STRIKING FREQUENCY (MIN-MAX, BPM)	700 - 1,440
NOISE LEVEL /10M (DBA)	93
SOUNDPROOFING	standard
HOSE PROTECTION	standard

OPTIONS

PART NUMBER

ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X48)	86799152
-------------------------	----------

MAINTENANCE KITS

PART NUMBER

LEVEL 1	101112797
LEVEL 2	101112798
LEVEL 3 (+2 WARRANTY YEARS*)	101112799

TOOLS

DIAMETER (MM/IN)	84 / 3.3	84 / 3.3	84 / 3.3
LENGTH (MM/IN)	785 / 31	785 / 31	785 / 31
WEIGHT (KG/LB)	32 / 71	32 / 71	34 / 75
PART NUMBER	86665338	86665361	86685047



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property.
©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

*see warranty conditions





HYDRAULIC ROCK BREAKER

SC50



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 7 TO
14 TONS CARRIERS

LIGHTER, LEANER, MORE POWERFUL

TIE RODS FREE BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	366	807
+ MOUNTED TOOL	410	904
+ MOUNTED ADAPTER PLATE (MAX)	545	1,202

DIMENSIONS (MM/IN)

A	1,870	73.6
B	1,790	70.4
C	1,130	40.48
D	425	16.7
E	270	10.6
F	310	12.2
G	40	1.57


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	7-14
OIL FLOW (MIN-MAX, L/MIN / GPM)	75 - 125 20 - 33
MAXIMUM OPERATING PRESSURE (BAR/PSI)	130 1,885
MAXIMUM BACK PRESSURE (BAR/PSI)	20 290
INPUT POWER (KW)	27.1
STRIKING FREQUENCY (BPM)	600 - 1,137
NOISE LEVEL /10M (DBA)	93
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT	86767787
PRESSURIZATION KIT	86654696
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

HAND PUMP GREASE CARTRIDGES (X48)	86799152
GREASE CARTRIDGES (X20)	86784758

MAINTENANCE KITS

PART NUMBER

BASIC	86655388
INTERMEDIATE	101187366
ADVANCED	101187367
DEDICATED ACCU. SCREWS KIT	101187368

TOOLS

			
DIAMETER (MM/IN)	94 / 3.7	94 / 3.7	94 / 3.7
LENGTH (MM/IN)	850 / 33.4	850 / 33.4	850 / 33.4
WEIGHT (KG/LB)	41.2 / 91	42 / 93	44 / 97
PART NUMBER	86565652	86565645	86655081



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

501NG



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 9 TO 16
TONS CARRIERS

LIGHTER, LEANER, MORE POWERFUL

TIE RODS FREE BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	601	1,325
+ MOUNTED TOOL	666	1,468
+ MOUNTED ADAPTER PLATE (MAX)	859	1,894

DIMENSIONS (MM/IN)

A	1,241	48.85
B	567	22.32
C	280	11.02
D	430	16.92
E	51	2
F	8	0.31


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	9 - 16
OIL FLOW (MIN-MAX, L/MIN / GPM)	80 - 140 21.1 - 37
MAXIMUM OPERATING PRESSURE (BAR/PSI)	140 2,032
MAXIMUM BACK PRESSURE (BAR/PSI)	15 218
INPUT POWER (KW)	32.6
STRIKING FREQUENCY (BPM)	420 - 870
NOISE LEVEL /10M (DBA)	96
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT	86768124
PRESSURIZATION KIT	86777695
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

HAND PUMP GREASE CARTRIDGES (X48)	86799152
GREASE CARTRIDGES (X20)	86784758

MAINTENANCE KITS

PART NUMBER

BASIC	101187369
INTERMEDIATE	101187370
ADVANCED	101187371
DEDICATED ACCU. SCREWS KIT	101187372

TOOLS

				
DIAMETER (MM/IN)	106 / 4.17	106 / 4.17	106 / 4.17	106 / 4.17
LENGTH (MM/IN)	1,005 / 39.56	1,005 / 39.56	1,005 / 39.56	1,005 / 39.56
WEIGHT (KG/LB)	61 / 134	62 / 137	65 / 143	62 / 137
PART NUMBER	86722451	86722154	86722444	86622469



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER
M900



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 15 TO
25 TONS CARRIERS

PROVEN RELIABILITY

USER FRIENDLY

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	855	1,885
+ MOUNTED TOOL	956.8	2,109
+ MOUNTED ADAPTER PLATE (MAX)	1,233	2,718

DIMENSIONS (MM/IN)

A	1,645	64.76
B	475	18.7
C	461.5	18.17
D	284	11.18
E	52	2.05


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	15 - 25
OIL FLOW (MIN-MAX, L/MIN / GPM)	100 - 150 26.42 - 39.63
MAXIMUM OPERATING PRESSURE (BAR/PSI)	125 1,814
MAXIMUM BACK PRESSURE (BAR/PSI)	10 145
INPUT POWER (KW)	39.6
STRIKING FREQUENCY (BPM)	400 - 800
NOISE LEVEL /10M (DBA)	95
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT LEFT HP (CARTRIDGES)	86767720
AUTOMATIC LUBRICATION KIT RIGHT HP (CARTRIDGES)	86779014
CARRIER MOUNTED AUTOMATIC LUBRICATION KIT	86417243
PRESSURIZATION KIT	86411154
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X48, HAND PUMP)	86799152
GREASE CARTRIDGES (X20, AUTOMATIC LUBRICATION)	86784758
ABL2 GREASE BUCKET (24 KG)	86772969
ABLF GREASE BUCKET (24 KG)	86772977

MAINTENANCE KITS

PART NUMBER

BASIC	101187373
INTERMEDIATE	101187384
ADVANCED	101187385
DEDICATED TIE RODS KIT	101187386

TOOLS

					
DIAMETER (MM/IN)	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7
LENGTH (MM/IN)	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4
WEIGHT (KG/LB)	74 / 163	101.8 / 224	75.4 / 166	100.8 / 222	80.6 / 177.6
PART NUMBER	86730579	86421948	86730561	86643681	86797651



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

M900MS



COMPACT FRAME
WITH HEAVY POWER

DESIGNED FOR 15 TO
25 TONS CARRIERS

PROVEN RELIABILITY

USER FRIENDLY

EXTRA SOUNDPROOFING

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsite.
- **Automatic lubrication:** cartridge grease pump mounted on breaker.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Blank firing protection:** increased wear parts lifespan.



COMPACT FRAME WITH HEAVY POWER

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	950	2,094
+ MOUNTED TOOL	1,051.8	2,318
+ MOUNTED ADAPTER PLATE (MAX)	1,328	2,928

DIMENSIONS (MM/IN)

A	1,686	66.37
B	434	17.09
C	461.5	18.17
D	289	11.38
E	52	2.05


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	15 - 25
OIL FLOW (MIN-MAX, L/MIN / GPM)	100 - 150 26.42 - 39.63
MAXIMUM OPERATING PRESSURE (BAR/PSI)	125 1,814
MAXIMUM BACK PRESSURE (BAR/PSI)	10 145
INPUT POWER (KW)	39.6
STRIKING FREQUENCY (BPM)	400 - 800
NOISE LEVEL /10M (DBA)	95
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled

OPTIONS

PART NUMBER

AUTOMATIC LUBRICATION KIT LEFT HP (CARTRIDGES)	86767720
AUTOMATIC LUBRICATION KIT RIGHT HP (CARTRIDGES)	86779014
CARRIER MOUNTED AUTOMATIC LUBRICATION KIT	86417243
PRESSURIZATION KIT	86411154
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X48, HAND PUMP)	86799152
GREASE CARTRIDGES (X20, AUTOMATIC LUBRICATION)	86784758
ABL2 GREASE BUCKET (24 KG)	86772969
ABL1 GREASE BUCKET (24 KG)	86772977

MAINTENANCE KITS

PART NUMBER

BASIC	101187373
INTERMEDIATE	101187384
ADVANCED	101187385
DEDICATED TIE RODS KIT	101187386

TOOLS

					
DIAMETER (MM/IN)	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7	118 / 4.7
LENGTH (MM/IN)	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4	1,300 / 51.2	1,000 / 39.4
WEIGHT (KG/LB)	74 / 163	101.8 / 224	75.4 / 166	100.8 / 222	80.6 / 177.6
PART NUMBER	86730579	86421948	86730561	86643681	86797651



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

XL1000



NITROGEN CHAMBER
TECHNOLOGY AT ITS BEST

DESIGNED FOR 11 TO
17 TONS CARRIERS

REDUCED COSTS,
UNCOMPROMISED QUALITY

DESIGNED AND
PRODUCED IN FRANCE

BENEFITS

- **High performance seals:** nitrogen pressure remains stable over time, avoiding time consuming controls and recharges.
- **Standard essentials:** blank firing protection, energy recovery system, reinforced housing, full range of working tools.
- **As green as others:** designed and manufactured by Montabert, with the brand usual standards.



NITROGEN CHAMBER TECHNOLOGY AT ITS BEST

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	1,714	778
+ MOUNTED TOOL	1,857	843
+ MOUNTED ADAPTER PLATE (MAX)	2,282	1,035

DIMENSIONS (IN/MM)

A	58.3	1,481
B	79.5	2,018
C	13.4	340
D	16.1	409
E	2	51


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	11 - 17
OIL FLOW (MIN-MAX, GPM / L/MIN)	18.5 - 31.7 70 - 120
OPERATING PRESSURE (MAX, PSI/BAR)	2,466 170
BACK PRESSURE (MAX, PSI/BAR)	290 20
INPUT POWER (KW)	34
STRIKING FREQUENCY (MIN-MAX, BPM)	400 - 750
NOISE LEVEL /10M (DBA)	91
MANUAL LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86766870
LUBRICATION KIT - CARTRIDGE PUMP	86768025
LUBRICATION KIT - EXCAVATOR MOUNTED TANK	86383759
OMNI-M MONITORING SYSTEM	101091917
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



MAINTENANCE KITS

PART NUMBER

UNIVERSAL MAINTENANCE KIT	101246742
DEDICATED TIE RODS KIT	101246798

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137

TOOLS

DIAMETER (IN/MM)	4.17 / 106	4.17 / 106	4.17 / 106	4.17 / 106
LENGTH (IN/MM)	39.56 / 1,005	39.w56 / 1,005	39.56 / 1,005	39.56 / 1,005
WEIGHT (LB/KG)	134 / 61	139 / 63	143 / 65	137 / 62
PART NUMBER	101182573	1011182572	86722444	86622469



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

XL1300



NITROGEN CHAMBER
TECHNOLOGY AT ITS BEST

DESIGNED FOR 15 TO
22 TONS CARRIERS

REDUCED COSTS,
UNCOMPROMISED QUALITY

DESIGNED AND
PRODUCED IN FRANCE

BENEFITS

- **High performance seals:** nitrogen pressure remains stable over time, avoiding time consuming controls and recharges.
- **Standard essentials:** blank firing protection, energy recovery system, reinforced housing, full range of working tools.
- **As green as others:** designed and manufactured by Montabert, with the brand usual standards.



NITROGEN CHAMBER TECHNOLOGY AT ITS BEST

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	2,047	983
+ MOUNTED TOOL	2,261	1,080
+ MOUNTED ADAPTER PLATE (MAX)	2,862	1,298

DIMENSIONS (IN/MM)

A	63.3	1,607
B	85.9	2,181
C	14.6	370
D	16.3	414
E	2.2	55


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	15 - 22
OIL FLOW (MIN-MAX, GPM / L/MIN)	23.8 - 37 90 - 140
OPERATING PRESSURE (MAX, PSI/BAR)	2,466 170
BACK PRESSURE (MAX, PSI/BAR)	290 20
INPUT POWER (KW)	39.6
STRIKING FREQUENCY (MIN-MAX, BPM)	355 - 600
NOISE LEVEL /10M (DBA)	96
MANUAL LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86766870
LUBRICATION KIT - CARTRIDGE PUMP	86768041
LUBRICATION KIT - EXCAVATOR MOUNTED TANK	86383759
OMNI-M MONITORING SYSTEM	101091917
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



MAINTENANCE KITS

PART NUMBER

UNIVERSAL MAINTENANCE KIT	101246794
DEDICATED TIE RODS KIT	101246800

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137

TOOLS

DIAMETER (IN/MM)	4.88 / 124	4.88 / 124	4.88 / 124	4.88 / 124
LENGTH (IN/MM)	43.31 / 1,100	43.31 / 1,100	43.31 / 1,100	43.31 / 1,100
WEIGHT (LB/KG)	205 / 93	209 / 95	218 / 99	205 / 93
PART NUMBER	86723632	86725652	86725678	86725660



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

XL1700



NITROGEN CHAMBER
TECHNOLOGY AT ITS BEST

DESIGNED FOR 18 TO
28 TONS CARRIERS

REDUCED COSTS,
UNCOMPROMISED QUALITY

DESIGNED AND
PRODUCED IN FRANCE

BENEFITS

- **High performance seals:** nitrogen pressure remains stable over time, avoiding time consuming controls and recharges.
- **Standard essentials:** blank firing protection, energy recovery system, reinforced housing, full range of working tools.
- **As green as others:** designed and manufactured by Montabert, with the brand usual standards.



NITROGEN CHAMBER TECHNOLOGY AT ITS BEST

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	2,868	1,301
+ MOUNTED TOOL	3,158	1,436
+ MOUNTED ADAPTER PLATE (MAX)	3,920	1,778

DIMENSIONS (IN/MM)

A	67.9	1,725
B	92	2,337
C	16.1	409
D	19.6	499
E	2.3	58


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	18 - 28
OIL FLOW (MIN-MAX, GPM / L/MIN)	26.4 - 39.6 100 - 150
OPERATING PRESSURE (MAX, PSI/BAR)	2,611 180
BACK PRESSURE (MAX, PSI/BAR)	247 17
INPUT POWER (KW)	45
STRIKING FREQUENCY (MIN-MAX, BPM)	340 - 560
NOISE LEVEL /10M (DBA)	89
MANUAL LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86766888
LUBRICATION KIT - CARTRIDGE PUMP	86768066
LUBRICATION KIT - EXCAVATOR MOUNTED TANK	86383759
OMNI-M MONITORING SYSTEM	101091917
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



MAINTENANCE KITS

PART NUMBER

UNIVERSAL MAINTENANCE KIT	101246795
DEDICATED TIE RODS KIT	101246801

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137

TOOLS

DIAMETER (IN/MM)	5.39 / 137	5.39 / 137	5.39 / 137	5.39 / 137
LENGTH (IN/MM)	47.24 / 1,200	47.24 / 1,200	47.24 / 1,200	47.24 / 1,200
WEIGHT (LB/KG)	271 / 123	278 / 126	289.4 / 131.3	269 / 122
PART NUMBER	101183098	101183097	86793247	86793239



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

XL1900



NITROGEN CHAMBER
TECHNOLOGY AT ITS BEST

DESIGNED FOR 21 TO
31 TONS CARRIERS

REDUCED COSTS,
UNCOMPROMISED QUALITY

DESIGNED AND
PRODUCED IN FRANCE

BENEFITS

- **High performance seals:** nitrogen pressure remains stable over time, avoiding time consuming controls and recharges.
- **Standard essentials:** blank firing protection, energy recovery system, reinforced housing, full range of working tools.
- **As green as others:** designed and manufactured by Montabert, with the brand usual standards.



NITROGEN CHAMBER TECHNOLOGY AT ITS BEST

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	3,497	1,586
+ MOUNTED TOOL	3,846	1,745
+ MOUNTED ADAPTER PLATE (MAX)	4,610	2,091

DIMENSIONS (IN/MM)

A	74.4	1,890
B	100.9	2,562
C	16.3	414
D	19.7	500
E	2.4	60


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	21 - 31
OIL FLOW (MIN-MAX, GPM / L/MIN)	31.7 - 47.5 120 - 180
OPERATING PRESSURE (MAX, PSI/BAR)	2,611 180
BACK PRESSURE (MAX, PSI/BAR)	247 17
INPUT POWER (KW)	54
STRIKING FREQUENCY (MIN-MAX, BPM)	360 - 630
NOISE LEVEL /10M (DBA)	101
MANUAL LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86766888
LUBRICATION KIT - CARTRIDGE PUMP	86768082
LUBRICATION KIT - EXCAVATOR MOUNTED TANK	86383759
OMNI-M MONITORING SYSTEM	101091917
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



MAINTENANCE KITS

PART NUMBER

UNIVERSAL MAINTENANCE KIT	101246796
DEDICATED TIE RODS KIT	101246802

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137

TOOLS

DIAMETER (IN/MM)	5.59 / 142	5.59 / 142	5.59 / 142	5.59 / 142
LENGTH (IN/MM)	52.95 / 1,345	52.95 / 1,345	52.95 / 1,345	52.95 / 1,345
WEIGHT (LB/KG)	326 / 148.3	337 / 153	348 / 158	326 / 148
PART NUMBER	101183099	101183100	86793288	101183101



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.





HYDRAULIC ROCK BREAKER

XL2700



NITROGEN CHAMBER
TECHNOLOGY AT ITS BEST

DESIGNED FOR 28 TO
38 TONS CARRIERS

REDUCED COSTS,
UNCOMPROMISED QUALITY

DESIGNED AND
PRODUCED IN FRANCE

BENEFITS

- **New piston shape:** improved design allowing shockwave spread through better energy transmission.
- **Heavy duty suspension:** shocks and vibrations dampening, tie rods anti-loosening system.
- **Improved tool design:** new shape for more savings but with constant usable length.
- **High performance seals:** nitrogen pressure remains stable over time, avoiding time consuming controls and recharges.
- **Standard essentials:** blank firing protection, energy recovery system, reinforced housing, full range of working tools.
- **As green as others:** designed and manufactured by Montabert, with the brand usual standards.



NITROGEN CHAMBER TECHNOLOGY AT ITS BEST

WEIGHT & DIMENSIONS

WEIGHT (LB/KG)

BREAKER	4,694	2,129
+ MOUNTED TOOL	5,093	2,310
+ MOUNTED ADAPTER PLATE (MAX)	6,129	2,780

DIMENSIONS (IN/MM)

A	81.7	2,075
B	105.4	2,677
C	17.7	450
D	20.5	520
E	2.8	70


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, T)	28 - 38
OIL FLOW (MIN-MAX, GPM / L/MIN)	39.6 - 63.4 150 - 240
OPERATING PRESSURE (MAX, PSI/BAR)	2,611 180
BACK PRESSURE (MAX, PSI/BAR)	247 17
INPUT POWER (KW)	72
STRIKING FREQUENCY (MIN-MAX, BPM)	335 - 630
NOISE LEVEL /10M (DBA)	99
MANUAL LUBRICATION	standard
SOUNDPROOFING	standard
INSPECTION KIT	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86766896
LUBRICATION KIT - CARTRIDGE PUMP	86768108
LUBRICATION KIT - EXCAVATOR MOUNTED TANK	86383759
OMNI-M MONITORING SYSTEM	101091917
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



MAINTENANCE KITS

PART NUMBER

UNIVERSAL MAINTENANCE KIT	101246797
DEDICATED TIE RODS KIT	101246803

CONSUMABLES

PART NUMBER

BIO CHISEL PASTE CARTRIDGES (BEKALUB, 440G, X20)	101206083
ABL2 GREASE CARTRIDGES (BEKALUB, 400G X20)	86784758
ABL2 GREASE CARTRIDGES (HAND PUMP, 400G, X48)	86799152
ABL2 ABL2 GREASE BUCKET (5 KG)	86772985
ABL2 GREASE BUCKET (18 KG)	101095009
ABL2 GREASE BUCKET (180 KG)	86772951
ABLF GREASE BUCKET (5 KG)	86772993
ABLF GREASE BUCKET (18 KG)	101095008
ABLF GREASE BUCKET (180 KG)	86799137

TOOLS

DIAMETER (IN/MM)	6.14 / 156	6.14 / 156	6.14 / 156	6.14 / 156
LENGTH (IN/MM)	49.29 / 1,252	49.29 / 1,252	49.29 / 1,252	49.29 / 1,252
WEIGHT (LB/KG)	370 / 168	386 / 175	399 / 181	370 / 168
PART NUMBER	101205911	101183096	101205913	101205912



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2026 Montabert. All rights reserved.

